


FIG. 1A






FIG. 1B

FIG. 1C





FIG. 1D



System Overview




FIG. 2A

710

712




FIG. 2B




Fig. 3




Fig. 4




Fig.
VI

70

Item Maintenance - Netscape

File	Edit	View	Go	Communications	Help
[] Item Maintenance					
[] Job ID					
[] Description					

Requisition ID	Master Job ID	Description
Job Number	92	
Job Description		

Forms: Flat Sheet Specification — 55**Quality and Quantities**Quality None Designated

130

Overrun permitted of

0 %

135

Underrun permitted of

0 %

138

Include complete set(s) of film

film or plate ready disc(s)

 Quality samples sent directly to production contact

90

Fig. 6

Materials	
Available for pickup on <input type="text"/> date <input type="text"/>	Materials to be returned to production contact <input type="checkbox"/>
Proofs	
Type(s) Required	
Furnish <input type="text"/> set(s) of proofs	<input type="checkbox"/> 142
Held for <input type="text"/> days from receipt	<input type="checkbox"/> 144
Press inspection by <input type="text"/>	<input type="checkbox"/> 144
Minimum notice of <input type="text"/> days if inspection required	

Fig. 7

Production Contact		Minimum notice of [REDACTED] days if inspection required
Production Contact	Kevin Long	150
Color	Rod Goodwin	155
Manufacturer	Vicki Long	155
Grade	Zachary Long	155
Basis Weight	Mike Smith	155
Stock	Patricia Gentry	155
Color	Shannon Jackson	160
Manufacturer	William Gindlesperger	160
Grade	Brian Ridenour	160
Basis Weight	Steve Chohany	165
Stock	Doug Herbert	170
Color	Ricki Winegardner	175
Manufacturer		
Grade		
Basis Weight	Ibs per 500 sheets	180

Fig. 8

Trim Size	
<input type="text"/> by <input type="text"/>	Inch(es)
Width	Length
<input type="text"/>	<input type="text"/>
Stock	
Color	
Manufacturer	
Grade	
Basis Weight	<input type="text"/> lbs per 500 sheets — 180
Basis Size	<input type="text"/> by <input type="text"/> inch(es) — 185
Width	<input type="text"/> — 188
Length	<input type="text"/> — 160
Width	<input type="text"/> — 165
Length	<input type="text"/> — 170
Width	<input type="text"/> — 175
Specification equivalents acceptable. If alternative paper to be used, please supply sample with proof.	
<input type="checkbox"/> No recycled paper requirement	

Fig.
9

72

Item Maintenance - Netscape	
<input type="checkbox"/> Ink	<input type="checkbox"/> View
<input type="checkbox"/> Links	<input type="checkbox"/> Print
<input type="checkbox"/> Front	<input type="checkbox"/> List
<input type="checkbox"/> Back	<input type="checkbox"/> Bleeds (Number of Sides)
<input checked="" type="radio"/> Coverage <input type="radio"/> Light <input type="radio"/> Medium <input type="radio"/> Heavy	
<input type="radio"/> Layout <input checked="" type="radio"/> n/a	
Run on press capable of printing 4 colors in 1 pass? <input type="radio"/> Yes <input checked="" type="radio"/> No	
Ink must contain at least 20% vegetable oil? <input type="radio"/> Yes <input checked="" type="radio"/> No	
Tight registration? <input type="radio"/> Yes <input checked="" type="radio"/> No	
Laser proof ink required? <input type="radio"/> Yes <input checked="" type="radio"/> No	
Match ink required? <input type="radio"/> Yes <input checked="" type="radio"/> No	
	

Fig. 10

72

William Whiteman • Nestor

LINE CUTTERING CO., INC.



LINE CUTTING
CO., INC.



William Whiteman • Nestor

LINE CUTTING CO., INC.

- **Holepunching**
Specify the binding style, the bound side of the book and if the binding style is stitched, how many stitches are used.

- **Binding**
Specify the binding style, the bound side of the book and if the binding style is stitched, how many stitches are used.

195

- **Folds**
Please specify the fold system to use or define each of the fold lines.

- **Perfs**
Please specify the number of full and partial vertical perforation lines and the number of full and partial horizontal perforation lines.

- **Scoring**
Please specify the number of vertical and/or horizontal score lines.

PRINTED IN U.S.A. DURING 1951

Fig. 11

Binding Assistant - Netscape

The binding style or saddle outside stitch is selected when the number of Stitches (Up to 100) is entered.

Saddle Stitch

Side Stitch

Perfect Bound

HardCase Bound

Smythe Sewn

GBC

Spiral

Loose Leaf

Number of Stitches

195

195

195

195

195

195

195

195

195

195

195

195

195

195

195

195

195

195

195

195

195

195

195

195

195

195

195

195

195

195

195

195

Side Bound

Left C Top

Right C

Bottom

Done

Cancel

72

Fig. 12



Fig. 13

Netscape

The Internet Navigator Communicator Help

File Edit View Go Communicator Help

Print Pages

View Space

Actions

Create

New

Delete

Edit

Find

Replace

72

Packaging

Packages

Wrap Suitable in quantities of

Carton

Carton Suitable

Palletize

Palletize Suitable

Label Internal Package? Yes No

External Package? Yes No

Fig. 14

195

Other Packaging Information

Save Item Delete Item




FIG. 15